

## **Plithogeny, Plithogenic Set, Logic, Probability and Statistics**

**(a short review)**

Florentin Smarandache  
University of New Mexico  
Mathematics, Physics, and Natural Science Division

705 Gurley Ave., Gallup, NM 87301, USA

Email: [smarand@unm.edu](mailto:smarand@unm.edu)

### **Abstract**

In this paper one recalls our 2017 concepts of Plithogeny and its derivate applications in set theory, logic, probability and statistics. The plithogenic set, plithogenic logic, plithogenic probability and plithogenic statistics are presented again.

### **1. Etymology of Plithogeny**

Plitho-geny etymologically comes from: (Gr.) πλήθος (plithos) = crowd, large number of, multitude, plenty of, and -geny < (Gr.) -γενιά (-geniá) = generation, the production of something & γένηα (géneia) = generations, the production of something < -γένεση (-génesi) = genesis, origination, creation, development, according to Translate Google Dictionaries [ <https://translate.google.com/> ] and Webster's New World Dictionary of American English, Third College Edition, Simon & Schuster, Inc., New York, pp. 562-563, 1988.

Therefore, plithogeny is the genesis or origination, creation, formation, development, and evolution of new entities from dynamics and organic fusions of contradictory and/or neutrals and/or non-contradictory multiple old entities.

Plithogenic means what is pertaining to plithogeny.

### **2. Plithogenic Set**

A plithogenic set  $P$  is a set whose elements are characterized by one or more attributes, and each attribute may have many values. Each attribute's value  $v$  has a corresponding degree of appurtenance  $d(x,v)$  of the element  $x$  to the set  $P$ , with respect to some given criteria.

In order to obtain a better accuracy for the plithogenic aggregation operators, a contradiction (dissimilarity) degree is defined between each attribute value and the dominant (most important) attribute value.

{However, there are cases when such dominant attribute value may not be taken into consideration or may not exist [therefore it is considered zero by default], or there may be many dominant

attribute values. In such cases, either the contradiction degree function is suppressed, or another relationship function between attribute values should be established.}

The plithogenic aggregation operators (intersection, union, complement, inclusion, equality) are based on contradiction degrees between attributes' values, and the first two are linear combinations of the fuzzy operators'  $t_{\text{norm}}$  and  $t_{\text{conorm}}$ .

Plithogenic set was introduced by Smarandache in 2017 [27 - 31] and it is a generalization of the crisp set, fuzzy set, intuitionistic fuzzy set, neutrosophic set, since these types of sets are characterized by a single attribute value (appurtenance): which has one value (membership) – for the crisp set and fuzzy set, two values (membership, and nonmembership) – for intuitionistic fuzzy set, or three values (membership, nonmembership, and indeterminacy) – for neutrosophic set.

### 2.1.Example:

Let  $P$  be a plithogenic set, representing the students from a college. Let  $x \in P$  be a generic student that is characterized by three attributes:

- altitude ( $a$ ), whose values are  $\{\text{tall, short}\} = \{a_1, a_2\}$ ;
- weight ( $w$ ), whose values are  $\{\text{obese, fat, medium, thin}\} = \{w_1, w_2, w_3, w_4\}$ ;

and

- hair color, whose values are  $\{\text{blond, reddish, brown}\} = \{h_1, h_2, h_3\}$ .

The multi-attribute of dimension 3 is

$$V_3 = \{(a_i, w_j, h_k) \text{ for all } 1 \leq i \leq 2, 1 \leq j \leq 4, 1 \leq k \leq 3\}.$$

Let's say  $P = \{\text{John}(a_1, w_3, h_2), \text{Richard}(a_1, w_3, h_2)\} = \{\text{John}(\text{tall, thin, reddish}), \text{Richard}(\text{tall, thin, reddish})\}$ .

From the view point of expert A, one has  $PA = \{\text{John}(0.7, 0.2, 0.4), \text{Richard}(0.5, 0.8, 0.6)\}$ ,

which means that, from the view point of expert A, John's fuzzy degrees of tallness, thinness, and reddishness are respectively 0.7, 0.2, and 0.4; while Richard's fuzzy degrees of tallness, thinness, and reddishness are respectively 0.5, 0.8, and 0.6.

While from the view point of expert B, one has  $PB = \{\text{John}(0.8, 0.2, 0.5), \text{Richard}(0.3, 0.7, 0.4)\}$ .

The *uni-dimensional attribute contradiction degrees* are:

$$c(a_1, a_2) = 1$$

$$c(w_1, w_2) = \frac{1}{3}$$

$$c(w_1, w_3) = \frac{2}{3}$$

$$c(w_1, w_4) = 1$$

$$c(h_1, h_2) = 0.5$$

$$c(h_1, h_3) = 1$$

Dominant attribute values are:  $a_1$ ,  $w_1$  and  $h_1$  for each corresponding uni-dimensional attribute  $a$ ,  $w$ , and  $h$  respectively. Let's use:

the fuzzy conjunction  $a \wedge_F b = ab$  {where  $\wedge_F$  means fuzzy conjunction/},

and fuzzy disjunction  $a \vee_F b = a + b - ab$  {where  $\vee_F$  means fuzzy disjunction/}.

We use the notations:  $\wedge_P$  and  $\vee_P$  to denote the plithogenic intersection and respectively the plithogenic union.

Then:

$$(a, b, c) \wedge_P (d, e, f) = (ad, (1/2)\{(be) + (b + e - be)\}, c + f - cf) = (ad, (b + e)/2, c + f - cf).$$

## 2.2. A Plithogenic Application to Images

A pixel  $x$  may be characterized by colors  $c_1, c_2, \dots, c_n$ . We write  $x(c_1, c_2, \dots, c_n)$ , where  $n \geq 1$ .

We may consider the degree of each color either fuzzy, intuitionistic fuzzy, or neutrosophic.

For example.

Fuzzy degree:

$$x(0.4, 0.6, 0.1, \dots, 0.3).$$

Intuitionistic fuzzy degree:

$$x((0.1, 0.2), (0.3, 0.5), (0.0, 0.6), \dots, (0.8, 0.9)).$$

Neutrosophic degree:

$$x((0.0, 0.3, 0.6), (0.2, 0.8, 0.9), (0.7, 0.4, 0.2), \dots, (0.1, 0.1, 0.9)).$$

Then, we can use a plithogenic operator to combine them.

For example:

$$x(0.4, 0.6, 0.1, \dots, 0.3) \wedge_P x(0.1, 0.7, 0.5, \dots, 0.2) = \dots$$

We establish first the degrees of contradictions between all colors  $c_i$  and  $c_j$  in order to find the linear combinations of t-norm and t-conorm that one applies to each color (similar to the indeterminacy above).

### 3. Plithogenic Probability

Since in plithogenic probability each event  $E$  from a probability space  $U$  is characterized by many chances of the event to occur [not only one chance of the event  $E$  to occur: as in classical probability, imprecise probability, and neutrosophic probability], a plithogenic probability distribution function,  $PP(x)$ , of a random variable  $x$ , is described by many plithogenic probability distribution sub-functions, where each sub-function represents the chance (with respect to a given attribute value) that value  $x$  occurs, and these chances of occurrence can be represented by classical, imprecise, neutrosophic probabilities, and in general any fuzzy-extension type (depending on the type of degree of a chance).

#### 3.1. Example of Plithogenic Probabilistic

What is the plithogenic probability that Jenifer will graduate at the end of this semester in her program of electrical engineering, given that she is enrolled in and has to pass two courses of Mathematics (Non-Linear Differential Equations, and Stochastic Analysis), and two courses of Mechanics (Fluid Mechanics, and Solid Mechanics) ?

We have a 4 attribute-values of plithogenic probability.

According to her adviser, Jenifer's plithogenic single-valued fuzzy probability of graduating at the end of this semester is:

$J(0.5, 0.6; 0.8, 0.4)$ ,

which means 50% chance of passing the Non-Linear Differential Equations class,

60% chance of passing the Stochastic Analysis class (as part of Mathematics),

and 80% of passing the Fluid Mechanics class

and 40% of passing the Solid Mechanics class (as part of Physics).

Therefore, the plithogenic probability in this example is composed from 4 classical probabilities.

#### 3.2. Subclasses of Plithogenic Probability [32] are:

- (i) If all (Probability Distribution Functions) PDFs are classical, then we have a classical **MultiVariate Probability**.
- (ii) If all PDFs are in the neutrosophic style, i.e. of the form  $(T, I, F)$ , where  $T$  is the chance that the event occurs,  $I$  is the indeterminate-chance of the event to occur or not, and  $F$  is the chance that the event does not occur, with  $T, I, F \in [0, 1]$ ,  $0 \leq T + I + F \leq 3$ ,

then we have a **Plithogenic Neutrosophic Probability**.

- (iii) If all PDFs are indeterminate functions (i.e. functions that have indeterminate data in the arguments, or in the values, or in both),

then we have a **Plithogenic Indeterminate Probability**.

- (iv) If all PDFs are Intuitionistic Fuzzy in the form of (T, F), where T is the chance that the event occurs, and F is the chance that the event does not occur, with  $T, F \in [0, 1]$ ,  $0 \leq T + F \leq 1$ , then we have a **Plithogenic Intuitionistic Fuzzy Probability**.

- (v) If all PDFs are in the Picture Fuzzy Set style, i.e. of the form (T, N, F), where T is the chance that the event occurs, N is the neutral-chance of the event to occur or not, and F is the chance that the event does not occur, with  $T, N, F \in [0, 1]$ ,

$0 \leq T + N + F \leq 1$ , then we have a **Plithogenic Picture Fuzzy Probability**.

- (vi) If all PDFs are in the Spherical Fuzzy Set style, i.e. of the form (T, H, F), where T is the chance that the event occurs, H is the neutral-chance of the event to occur or not, and F is the chance that the event does not occur, with  $T, H, F \in [0, 1]$ ,

$0 \leq T^2 + H^2 + F^2 \leq 1$ , then we have a **Plithogenic Picture Fuzzy Probability**.

- (vii) In general, if all PDFs are in any (fuzzy-extension set) style, then we have a

**Plithogenic (*fuzzy-extension*) Probability**.

- (viii) If some PDFs are in one of the above styles, while others are in different styles, then we have a **Plithogenic Hybrid Probability**.

### 3.3. Plithogenic Refined Probability

The most general form of probability is **Plithogenic Refined Probability** [32], when the components of T (Truth = Occurrence), I (Indeterminate-Occurrence), and F (Falsehood-NonOccurrence) are refined/split into sub-components:  $T_1, T_2, \dots, T_p$  (sub-truths = sub-occurrences) and  $I_1, I_2, \dots, I_r$  (sub-indeterminate-occurrences), and  $F_1, F_2, \dots, F_s$  (sub-falsehoods = sub-nonoccurrences), where  $p, r, s \geq 0$  are integers, and at least one of  $p, r, s$  is  $\geq 2$ .

All the above sub-classes of plithogenic probability may be refined this way.

## 4. Plithogenic Statistics

As a generalization of classical statistics and neutrosophic statistics, the Plithogenic Statistics is the analysis of events described by the plithogenic probability.

In neutrosophic statistics we have some degree of indeterminacy into the data or into the statistical inference methods.

The Neutrosophic Probability (and similarly for Classical Probability, and for the Imprecise Probability) of an event E to occur is calculated with respect to the chance of the event E to occur (i.e. it is calculated with respect to only ONE chance of occurrence).

While the Plithogenic Probability of an event E to occur is calculated with respect to MANY chances of the event E to occur (it is calculated with respect to each event's attribute/parameter

chance of occurrence).

Therefore, the Plithogenic Probability is a Multi-Probability (i.e. multi-dimensional probability) - unlike the classical, and probabilities may be of any type, such as: classical, imprecise, neutrosophic, and any other fuzzy-extension type that are uni-dimensional probabilities.

#### 4.1. Example of Plithogenic Statistics

Let's consider the previous Example of Plithogenic Probability that Jenifer will graduate at the end of this semester in her program of electrical engineering.

Instead of defining only one probability distribution function (and drawing its curve), we do now draw four probability distribution functions (and draw 4 curves), when we consider the neutrosophic distribution as a uni-dimensional neutrosophic function.

Therefore, Plithogenic Statistics is a multi-variate statistics.

### 5. Conclusion

We have recalled the 2017 Plithogenic Set, Logic, Probability and Statistics of an event that is composed from the chances that the event occurs with respect to all random variables (parameters) that determine it. Each such a variable is described by a Probability Distribution (Density) Function, which may be a classical, (T, I, F)-neutrosophic, I-neutrosophic, (T, F)-intuitionistic fuzzy, (T, N, F)-picture fuzzy, (T, N, F)-spherical fuzzy, or (other fuzzy extension) distribution function.

Plithogenic Statistics [2017] is the analysis of the events described by the plithogenic probability.

Several examples were provided.

### References

1. Florentin Smarandache: [Plithogenic Set, an Extension of Crisp, Fuzzy, Intuitionistic Fuzzy, and Neutrosophic Sets - Revisited](#). *Neutrosophic Sets and Systems*, Vol. 21, 2018, 153-166.
2. Florentin Smarandache: [Extension of Soft Set to Hypersoft Set, and then to Plithogenic Hypersoft Set](#). *Neutrosophic Sets and Systems*, Vol. 22, 2018, 168-170.
3. Florentin Smarandache: [Conjunto plitogenico, una extension de los conjuntos crisp, difusos, conjuntos difusos intuicionistas y neutrosoficos revisitado](#). *Neutrosophic Computing and Machine Learning*, Vol. 3, 2018, 1-19.
4. Shazia Rana, Madiha Qayyum, Muhammad Saeed, Florentin Smarandache, Bakhtawar Ali Khan: [Plithogenic Fuzzy Whole Hypersoft Set, Construction of Operators and their Application in Frequency Matrix Multi Attribute Decision Making Technique](#). *Neutrosophic Sets and Systems*, Vol. 28, 2019, 34-50.
5. Nivetha Martin, Florentin Smarandache: [Plithogenic Cognitive Maps in Decision Making](#). *International Journal of Neutrosophic Science (IJNS)* Vol. 9, No. 1, 2020, 9-21.

6. Florentin Smarandache, Nivetha Martin: [Plithogenic n-Super Hypergraph in Novel Multi-Attribute Decision Making](#). *International Journal of Neutrosophic Science (IJNS)* Vol. 7, No. 1, 2020, 8-30.
7. Shazia Rana, Muhammad Saeed, Midha Qayyum, Florentin Smarandache: [Plithogenic Subjective Hyper-Super-Soft Matrices with New Definitions & Local, Global, Universal Subjective Ranking Model](#). *International Journal of Neutrosophic Science (IJNS)* Vol. 6, No. 2, 2020, 56-79; DOI: [10.5281/zenodo.3841624](#).
8. Firoz Ahmad, Ahmad Yusuf Adhami, Florentin Smarandache: [Modified neutrosophic fuzzy optimization model for optimal closed-loop supply chain management under uncertainty](#). *Optimization Theory Based on Neutrosophic and Plithogenic Sets*, 2020, 343-403; DOI: [10.1016/B978-0-12-819670-0.00015-9](#).
9. Sudipta Gayen, Florentin Smarandache, Sripati Jha, Manoranjan Kumar Singh, Said Broumi, Ranjan Kumar: [Introduction to Plithogenic Hypersoft Subgroup](#). *Neutrosophic Sets and Systems*, Vol. 33, 2020, 208-233.
10. Nivetha Martin, Florentin Smarandache: [Introduction to Combined Plithogenic Hypersoft Sets](#). *Neutrosophic Sets and Systems*, Vol. 35, 2020, 503-510.
11. Shio Gai Quek, Ganeshsree Selvachandran, Florentin Smarandache, J. Vimala, Son Hoang Le, Quang-Thinh Bui, Vassilis C. Gerogiannis: [Entropy Measures for Plithogenic Sets and Applications in Multi-Attribute Decision Making](#). *Mathematics* 2020, 8, 965, 17 p.; DOI: [10.3390/math8060965](#).
12. Nivetha Martin, Florentin Smarandache: [Concentric Plithogenic Hypergraph based on Plithogenic Hypersoft sets - A Novel Outlook](#). *Neutrosophic Sets and Systems*, Vol. 33, 2020, 78-91.
13. George Bala: [Information Fusion Using Plithogenic Set and Logic](#). *Acta Scientific Computer Sciences* 2.7, 2020, 26-27.
14. Shawkat Alkhazaleh: [Plithogenic Soft Set](#). *Neutrosophic Sets and Systems*, Vol. 33, 2020, 256-274.
15. R. Sujatha, S. Poomagal, G. Kuppuswami, Said Broumi: [An Analysis on Novel Corona Virus by a Plithogenic Fuzzy Cognitive Map Approach](#). *International Journal of Neutrosophic Science (IJNS)*, Volume 11, Issue 2, 2020, 62-75; DOI: 10.5281/zenodo.4275788.
16. S. P. Priyadharshini, F. Nirmala Irudayam, F. Smarandache: [Plithogenic Cubic Sets](#). *International Journal of Neutrosophic Science (IJNS)*, Volume 11, Issue 1, 2020, 30-38; DOI: 10.5281/zenodo.4275725.
17. Prem Kumar Singh: [Plithogenic set for multi-variable data analysis](#). *International Journal of Neutrosophic Science (IJNS)*, Volume 1, Issue 2, 2020, 81-89; DOI: 10.5281/zenodo.3988028.
18. C. Sankar, R. Sujatha, D. Nagarajan: [TOPSIS by Using Plithogenic Set in COVID-19 Decision Making](#). *International Journal of Neutrosophic Science (IJNS)*, Volume 10, Issue 2, 2020, 116-125; DOI: 10.5281/zenodo.4277255.

19. Nivetha Martin, R. Priya: [New Plithogenic sub cognitive maps approach with mediating effects of factors in COVID-19 diagnostic model](#). *Journal of Fuzzy Extension & Applications* (JFEA), Volume 2, Issue 1, Winter 2021, 1-15; DOI: 10.22105/JFEA.2020.250164.1015.
20. Mohamed Abdel-Basset, Rehab Mohamed, Florentin Smarandache, Mohamed Elhoseny: [A New Decision-Making Model Based on Plithogenic Set for Supplier Selection](#). *Computers, Materials & Continua*, 2021, vol. 66, no. 3, 2752-2769. DOI:10.32604/cmc.2021.013092
21. Nivetha Martin, Florentin Smarandache, R. Priya: [Introduction to Plithogenic Sociogram with preference representations by Plithogenic Number](#). *Journal of Fuzzy Extension & Applications*, 15 p.
22. S.P. Priyadharshini, F. Nirmala Irudayam, F. Smarandache: [Plithogenic Cubic Set](#). *International Journal of Neutrosophic Science* (IJNS), 2020, Vol. 11, No. 1, 30-38.
23. Muhammad Rayees Ahmad, Muhammad Saeed , Usman Afzal, Miin-Shen Yang: [A Novel MCDM Method Based on Plithogenic Hypersoft Sets under Fuzzy Neutrosophic Environment](#). *Symmetry* 2020, 12, 1855, 23 p.; DOI: 10.3390/sym12111855
24. Korucuk Selcuk, Demir Ezgi, Karamasa Caglar, Stevic Zeljko: [Determining The Dimensions of The Innovation Ability in Logistics Sector by Using Plithogenic-Critic Method: An Application in Sakarya Province](#). *International Review*, No. 1-2, September 2020, 10 p.
25. Rawa Alwadani, Nelson Oly Ndubisi: [Family business goal, sustainable supply chain management, and platform economy: a theory based review & propositions for future research](#). *International Journal of Logistics Research and Applications*, 25 p.; DOI: 10.1080/13675567.2021.1944069
26. S.P. Priyadharshini, F. Nirmala Irudayam: [A Novel Approach of Refined Plithogenic Neutrosophic Sets in Multi Criteria Decision Making](#). *International Research Journal of Modernization in Engineering Technology and Science*, Volume 3, Issue 4, May 2021, 5 p.
27. Alptekin Uluta, Ayse Topal, Darjan Karabasevic, Dragisa Stanujkic, Gabrijela Popovic, and Florentin Smarandache, Prioritization of Logistics Risks with Plithogenic PIPRECIA Method, in C. Kahraman et al. (Eds.): INFUS 2021, [Springer](#), LNNS 308, pp. 663–670, 2022.
28. Florentin Smarandache: [Plithogeny, Plithogenic Set, Logic, Probability, and Statistics](#). Brussels, Belgium: Pons, 2017, 141 p.
29. Florentin Smarandache, Mohamed Abdel-Basset (editors): [Optimization Theory Based on Neutrosophic and Plithogenic Sets](#), ELSEVIER, Academic Press, 2020, 446 p.
30. Wilmer Ortega Chavez, Fermin Pozo Ortega, Janett Karina Vasquez Perez, Edgar Juan Diaz Zuniga, Alberto Rivelino Patino Rivera: [Modelo ecologico de Bronferbrenner aplicado a la pedagogia, modelacion matematica para la toma de decisiones bajo incertidumbre: de la logica difusa a la logica plitogenica](#). NSIA Publishing House Editions, Huanuco, Peru, 2021, 144 p.



31. Florentin Smarandache (Special Issue Editor): [New types of Neutrosophic Set/Logic/Probability, Neutrosophic Over-/Under-/Off-Set, Neutrosophic Refined Set, and their Extension to Plithogenic Set/Logic/Probability, with Applications](#). Special Issue of *Symmetry* (Basel, Switzerland, in Scopus, IF: 1.256), November 2019, 714 p., [https://www.mdpi.com/journal/symmetry/special\\_issues/Neutrosophic\\_Set\\_Logic\\_Probability](https://www.mdpi.com/journal/symmetry/special_issues/Neutrosophic_Set_Logic_Probability).
32. F. Smarandache, Florentin Smarandache, [Plithogenic Probability & Statistics are generalizations of MultiVariate Probability & Statistics](#), *Neutrosophic Sets and Systems*, vol. 43, 2021, pp. 280-289. DOI: [10.5281/zenodo.491489](https://doi.org/10.5281/zenodo.491489).